

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

---

In re Patent Application of:  
Stumpe et al.

U.S. Patent No.: 7,612,879 B2

Issued: November 3, 2009

Application No: 10/559,650

Filed: June 1, 2004

For: METHOD AND DEVICE FOR THREE-  
DIMENSIONALLY DETERMINING THE  
REFRACTIVE INDEX OF  
TRANSPARENT OR PARTIALLY  
TRANSPARENT LAYERS

---

Art Unit: 2877

+

Examiner: L. G. Lauchman

Confirmation No: 7348

Atty. Docket No: 31583-226294

Customer No:

**26694**

PATENT TRADEMARK OFFICE

**REQUEST FOR CERTIFICATE OF CORRECTION  
PURSUANT TO 37 CFR 1.322**

Attention: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted a typographical error which should be corrected.

In the Claims:

In Claim 6, lines 1-2, replace ~~supporting the two hemispheres~~ with using two hemispheres.

The error was not in the application as filed by applicant; accordingly no fee is required.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment.  
Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: January 7, 2010

Respectfully submitted,

By /Robert Kinberg/

Robert Kinberg

Registration No.: 26,924

Justine A. Gozzi

Registration No.: 60,513

VENABLE LLP

P.O. Box 34385

Washington, DC 20043-9998

(202) 344-4000

(202) 344-8300 (Fax)

Attorney/Agent For Applicant